

Fig. 1




Fig. 2




Fig. 3






Fig. 4

Service ID	Service Name
S 1	Today's News
S 2	Useful Information
S 3	New Car Guide

Isp

Fig. 5




Fig. 6

$$Cb = C(S1, Bflg)$$




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11





Fig. 12



A hand-drawn arrow originates from the bottom right corner of the table and points towards the word "lspc" written above the table.

Service ID	Service Name	Public Key
S 1	Today's News	7uBJ8jbjUjBikj...
S 2	Useful Information	11Inn;pp1hbn01...
S 3	New Car Guide	INopdok101p0p...

Fig. 13




Fig. 14




Fig. 15





Fig. 16



Service ID	Service Name	Browser Content Designator	
		Content ID	Content Version
S 1	Today's News	101	2. 10
S 2	Useful Information	204	3. 00
S 3	New Car Guide	312	1. 10

Fig. 17




Fig. 18




Fig. 19




Fig. 20

Service ID	Service Name
S 1	Today's News
S 2	Useful Information
S 3	New Car Guide

I sps


Fig. 21

Content ID Range	Type	Service ID
0 ~ 99	Browser Content	-
100 ~ 199	Service Content	S 1
200 ~ 299	Service Content	S 2
300 ~ 399	Service Content	S 3

CSD

Fig. 22

Cbs = C(S1, Brng)



Item	Value
Service ID	S1
Content ID	001
Content Version	2.10
Content Name	Browser Content For Today's News

Fig. 23




Fig. 24 Prior Art




Fig. 25 Prior Art









Fig. 26 Prior Art




Fig. 27 Prior Art




Fig. 28 Prior Art

Browser File Name	Service Name
B (S 1)	Today's News
B (S 2)	Useful Information
B (S 3)	New Car Guide

Fig. 29 Prior Art




Fig. 30 Prior Art

